



## SAFETY DATA SHEET EPO-TEK® H20E-LC Part A

### 1. Identification

#### Product identifier

**Product name** EPO-TEK® H20E-LC Part A

**Product number** H20E-LC/A

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

**Uses advised against** Use only for intended applications.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** ChemTel: +1 (800) 255-3924, +1 (813) 248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture


**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317

**Environmental hazards** Aquatic Chronic 2 - H411

#### Label elements

##### Hazard symbols



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK® H20E-LC Part A

**Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P302+P352 If on skin: Wash with plenty of water.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337+P313 If eye irritation persists: Get medical advice/ attention.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Contains** Epoxy Phenol Novolac

### Other hazards

Harmful dust may be released during cutting or grinding process.

**Hazards not otherwise classified (HNOC)** Contains epoxy constituents. May produce an allergic reaction.

### 3. Composition/information on ingredients

#### Mixtures

<b>Silver</b>	<b>60-100%</b>
CAS number: 7440-22-4	
M factor (Acute) = 1000	M factor (Chronic) = 100

**Classification**  
 Aquatic Acute 1 - H400  
 Aquatic Chronic 1 - H410

<b>Epoxy Phenol Novolac</b>	<b>30-60%</b>
CAS number: 9003-36-5	

**Classification**  
 Skin Irrit. 2 - H315  
 Eye Irrit. 2 - H319  
 Skin Sens. 1 - H317  
 Aquatic Chronic 2 - H411

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

**Inhalation** Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.

**Skin Contact** Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.

**Eye contact** Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

**Inhalation** Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract. Vapors may cause headache, fatigue, dizziness and nausea.

## EPO-TEK® H20E-LC Part A

<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact.
<b>Eye contact</b>	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** Extinguish with the following media: Dry chemicals. Foam. Water spray.

#### Special hazards arising from the substance or mixture

**Hazardous combustion products** Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections** For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Handle all packages and containers carefully to minimize spills. Avoid inhalation of vapors and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene** Provide eyewash station. Do not eat, drink or smoke when using this product. Wash promptly if skin becomes contaminated. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

## EPO-TEK® H20E-LC Part A

### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

#### Control parameters

#### Occupational exposure limits

##### Silver

Long-term exposure limit (8-hour TWA): 0.1

#### Exposure controls

##### Protective equipment



##### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

##### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

##### Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. Nitrile rubber. Neoprene. Butyl rubber.

##### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

##### Hygiene measures

Provide eyewash station. Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

##### Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Silver.
<b>Odor</b>	Mild.
<b>Odor threshold</b>	No specific test data are available.
<b>pH</b>	No specific test data are available.
<b>Melting point</b>	No specific test data are available.
<b>Initial boiling point and range</b>	No specific test data are available.
<b>Flash point</b>	> 93°C
<b>Evaporation rate</b>	<BuAc
<b>Evaporation factor</b>	No specific test data are available.
<b>Flammability (solid, gas)</b>	No specific test data are available.
<b>Upper/lower flammability or explosive limits</b>	No specific test data are available.

## EPO-TEK® H20E-LC Part A

<b>Vapor pressure</b>	No specific test data are available.
<b>Vapor density</b>	> 1
<b>Relative density</b>	No specific test data are available.
<b>Bulk density</b>	No specific test data are available.
<b>Solubility(ies)</b>	Insoluble in water.
<b>Partition coefficient</b>	No specific test data are available.
<b>Auto-ignition temperature</b>	No specific test data are available.
<b>Decomposition Temperature</b>	No specific test data are available.
<b>Viscosity</b>	No specific test data are available.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.
<b>Materials to avoid</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO <sub>2</sub> ).


### 11. Toxicological information

#### Information on toxicological effects

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system. Inhalation of dust during cutting, grinding or sanding operations involving this product may cause irritation of the respiratory tract.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	Causes skin irritation. May cause an allergic skin reaction. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes serious eye irritation.

### 12. Ecological information

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b><u>Acute aquatic toxicity</u></b>	
<b>Acute toxicity - fish</b>	Not available.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	The product is biodegradable.

**EPO-TEK® H20E-LC Part A****Bioaccumulative potential****Bio-Accumulative Potential** The product contains potentially bioaccumulating substances.**Partition coefficient** No specific test data are available.**Mobility in soil****Mobility** Mobile.**Other adverse effects****Other adverse effects** Not known.**13. Disposal considerations****Waste treatment methods****Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.**14. Transport information****UN Number****UN No. (TDG)** 3082**UN No. (IMDG)** 3082**UN No. (ICAO)** 3082**UN No. (DOT)** UN3082**UN proper shipping name****Proper shipping name (TDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Epoxy Phenol Novolac)**Transport hazard class(es)****DOT hazard class** 9**DOT hazard label** 9**TDG class** 9**TDG label(s)** 9**IMDG Class** 9**ICAO class/division** 9**Transport labels**

## EPO-TEK® H20E-LC Part A

### DOT transport labels



### Packing group

TDG Packing Group	III
IMDG packing group	III
ICAO packing group	III
DOT packing group	III

### Environmental hazards

#### Environmentally Hazardous Substance



### Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15. Regulatory information

**Regulatory References** Proprietary information protected pursuant to WTO's Agreement on Trade-Related Aspects of Intellectual Property Rights (TRIPS), Section 7, Art. 39.

### US Federal Regulations

#### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

#### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

The following ingredients are listed:

*Silver*

1,000 lbs (454 Kg)

#### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are listed.

#### **SARA 313 Emission Reporting**

The following ingredients are listed:

*Silver*

60-100%

#### **CAA Accidental Release Prevention**

None of the ingredients are listed.

#### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

## EPO-TEK® H20E-LC Part A

### US State Regulations

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-I)**

The following ingredients are listed:

*Silver*

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

#### **Massachusetts "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **Rhode Island "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **Minnesota "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **New Jersey "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **Pennsylvania "Right To Know" List**

The following ingredients are listed:

*Silver*

### Inventories

#### **EU - EINECS/ELINCS**

The following ingredients are listed:

*Silver*

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

#### **Australia - AICS**

All the ingredients are listed or exempt.

#### **Japan - ENCS**

The following ingredients are listed:

*Epoxy Phenol Novolac*



## EPO-TEK® H20E-LC Part A

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	3/10/2021
<b>Revision</b>	2
<b>Supersedes date</b>	2/12/2015
<b>Hazard statements in full</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



## SAFETY DATA SHEET EPO-TEK H20E-LC Part B

### 1. Identification

#### Product identifier

**Product name** EPO-TEK H20E-LC Part B

**Product number** H20E-LC/B

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com, SDS@epotek.com

#### Emergency telephone number

**Emergency telephone** Domestic: 800-255-3924  
International: +01-813-248-0585

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Eye Dam. 1 - H318

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

#### Label elements

##### **Hazard symbols**



**Signal word** Danger

**Hazard statements** H318 Causes serious eye damage.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a poison center/ doctor.  
P391 Collect spillage.  
P501 Dispose of contents/ container in accordance with national regulations.

## EPO-TEK H20E-LC Part B

**Contains**                      Reactive Diluent, Substituted Imidazole

### 3. Composition/information on ingredients

#### Mixtures

<b>Silver</b>	<b>60-100%</b>
CAS number: 7440-22-4	
M factor (Acute) = 1000	M factor (Chronic) = 100

<b>Classification</b>
Aquatic Acute 1 - H400
Aquatic Chronic 1 - H410

<b>Reactive Diluent</b>	<b>10-30%</b>
CAS number: Proprietary	

<b>Classification</b>
Acute Tox. 4 - H302
Eye Dam. 1 - H318
STOT SE 3 - H336

<b>Substituted Imidazole</b>	<b>5-10%</b>
CAS number: Proprietary	

<b>Classification</b>
Acute Tox. 4 - H302
Skin Irrit. 2 - H315
Eye Dam. 1 - H318
STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Inhalation of dusts during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.
<b>Eye contact</b>	Severe irritation, burning and tearing. Corneal damage.

#### Indication of immediate medical attention and special treatment needed

## EPO-TEK H20E-LC Part B

**Notes for the doctor**                      Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media**    Extinguish with the following media: Dry chemicals. Foam. Water spray, fog or mist.

#### Special hazards arising from the substance or mixture

**Hazardous combustion products**                      Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

#### Advice for firefighters

**Special protective equipment for firefighters**    Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                      Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions**                      Avoid release to the environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up**                      Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections**                      For personal protection, see Section 8.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions**                      Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions**                      Store at moderate temperatures in dry, well ventilated area. Keep away from heat, sparks and open flame. Avoid contact with oxidizing agents.

#### Specific end uses(s)

**Specific end use(s)**                      The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

#### Control parameters

#### Occupational exposure limits

##### **Silver**

Long-term exposure limit (8-hour TWA): ACGIH 0.1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): ACGIH

ACGIH = American Conference of Governmental Industrial Hygienists.

#### Exposure controls

## EPO-TEK H20E-LC Part B

### Protective equipment



<b>Appropriate engineering controls</b>	Provide adequate general and local exhaust ventilation.
<b>Eye/face protection</b>	Wear tight-fitting, chemical splash goggles or face shield.
<b>Hand protection</b>	Use protective gloves.
<b>Other skin and body protection</b>	Wear appropriate clothing to prevent any possibility of skin contact.
<b>Hygiene measures</b>	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Silver.
<b>Odor</b>	Slight.
<b>Flash point</b>	93°C
<b>Other information</b>	None.

## 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react violently with the product: Acids. Alkalis. Strong reducing agents. Strong oxidizing agents.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time. Avoid heat, flames and other sources of ignition.
<b>Materials to avoid</b>	Strong acids. Strong alkalis. Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Oxides of carbon. Oxides of nitrogen.

## 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity - oral

**ATE oral (mg/kg)** 2,564.1

**Inhalation** May cause respiratory system irritation.

## EPO-TEK H20E-LC Part B

<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	Slightly irritating.
<b>Eye contact</b>	Risk of serious damage to eyes.

### 12. Ecological information

<b>Ecotoxicity</b>	The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
<b>Toxicity</b>	Very toxic to aquatic organisms.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	The product is moderately biodegradable.
<b><u>Bioaccumulative potential</u></b>	
<b>Bio-Accumulative Potential</b>	No data available on bioaccumulation.
<b><u>Mobility in soil</u></b>	
<b>Mobility</b>	Semi-mobile.
<b><u>Other adverse effects</u></b>	
<b>Other adverse effects</b>	Not known.

### 13. Disposal considerations

#### **Waste treatment methods**

<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
-------------------------	---

### 14. Transport information

#### **UN Number**

<b>UN No. (TDG)</b>	3082
<b>UN No. (IMDG)</b>	3082
<b>UN No. (ICAO)</b>	3082
<b>UN No. (DOT)</b>	UN3082

#### **UN proper shipping name**

<b>Proper shipping name (TDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Blocking Agent)
<b>Proper shipping name (IMDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Blocking Agent)
<b>Proper shipping name (ICAO)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Blocking Agent)
<b>Proper shipping name (DOT)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS Silver, Blocking Agent)

#### **Transport hazard class(es)**

<b>DOT hazard class</b>	9
<b>DOT hazard label</b>	9

## EPO-TEK H20E-LC Part B

TDG class	9
TDG label(s)	9
IMDG Class	9
ICAO class/division	9

### Transport labels



### DOT transport labels



### Packing group

TDG Packing Group	III
IMDG packing group	III
ICAO packing group	III
DOT packing group	III

### Environmental hazards

#### Environmentally Hazardous Substance



### Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## 15. Regulatory information

### US Federal Regulations

#### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed.

#### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

The following ingredients are listed:

*Silver*

1,000 lbs (454 Kg)

#### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

#### SARA 313 Emission Reporting

The following ingredients are listed:

## EPO-TEK H20E-LC Part B

*Silver*

### **CAA Accidental Release Prevention**

None of the ingredients are listed.

### **OSHA Highly Hazardous Chemicals**

None of the ingredients are listed.

### **US State Regulations**

#### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

#### **California Air Toxics "Hot Spots" (A-I)**

The following ingredients are listed:

*Silver*

#### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are listed.

#### **Massachusetts "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **Rhode Island "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **Minnesota "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **New Jersey "Right To Know" List**

The following ingredients are listed:

*Silver*

#### **Pennsylvania "Right To Know" List**

The following ingredients are listed:

*Silver*

### **Inventories**

#### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

#### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

#### **US - TSCA**

All the ingredients are listed or exempt.

#### **US - TSCA 12(b) Export Notification**

None of the ingredients are listed.

#### **Australia - AICS**

All the ingredients are listed or exempt.



## EPO-TEK H20E-LC Part B

### Japan - ENCS

Some of the ingredients are listed or exempt.

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	3/10/2021
<b>Revision</b>	2
<b>Supersedes date</b>	2/12/2015
<b>Hazard statements in full</b>	H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.