



## SAFETY DATA SHEET EPO-TEK OJ2933-LH Part A

### 1. Identification

#### Product identifier

**Product name** EPO-TEK OJ2933-LH Part A  
**Product number** OJ2933-LH/A

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com

#### Emergency telephone number

**Emergency telephone** (800) 255-3924


### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317  
**Environmental hazards** Aquatic Chronic 2 - H411

#### Label elements

##### Pictogram



**Signal word** Warning

**Hazard statements** H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

## EPO-TEK OJ2933-LH Part A

<b>Precautionary statements</b>	<p>P261 Avoid breathing vapor/spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing must not be allowed out of the workplace.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352 If on skin: Wash with plenty of water.</p> <p>P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/attention.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P391 Collect spillage.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
---------------------------------	--

**Contains** Epoxy Phenol Novolac

### 3. Composition/information on ingredients

#### Mixtures

<b>Epoxy Phenol Novolac</b>	<b>60-100%</b>
CAS number: 9003-36-5	
<b>Classification</b>	
Skin Irrit. 2 - H315	
Eye Irrit. 2 - H319	
Skin Sens. 1 - H317	
Aquatic Chronic 2 - H411	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Causes skin irritation. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes eye irritation.

#### Indication of immediate medical attention and special treatment needed

**Notes for the doctor** Treat symptomatically.

## EPO-TEK OJ2933-LH Part A

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media** Dry chemicals. Foam. Carbon dioxide (CO<sub>2</sub>).

#### Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapors. Use water to keep fire exposed containers cool and disperse vapors.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

#### Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

**Advice on general occupational hygiene** Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash after use and before eating, smoking and using the toilet.

#### Conditions for safe storage, including any incompatibilities

**Storage precautions** Store at room temperature. Keep container tightly sealed when not in use.

**Storage class** Chemical storage.

#### Specific end uses(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### 8. Exposure Controls/personal protection

#### Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate general and local exhaust ventilation.

**Eye/face protection** The following protection should be worn: Chemical splash goggles or face shield.

**Hand protection** It is recommended that chemical-resistant, impervious gloves are worn.

**Other skin and body protection** Wear appropriate clothing to prevent any possibility of skin contact.

## EPO-TEK OJ2933-LH Part A

<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Paste.
<b>Color</b>	Milky.
<b>Odor</b>	Mild.
<b>Flash point</b>	> 93°C
<b>Vapour density</b>	> Air
<b>Solubility(ies)</b>	Slightly soluble in water.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO). Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

<b>Inhalation</b>	Gas or vapor in high concentrations may irritate the respiratory system.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin Contact</b>	May cause sensitisation by skin contact. Irritating to skin.
<b>Eye contact</b>	Irritating to eyes.

### 12. Ecological Information

<b>Ecotoxicity</b>	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
<b><u>Toxicity</u></b>	
<b>Toxicity</b>	Very toxic to aquatic organisms.
<b><u>Persistence and degradability</u></b>	
<b>Persistence and degradability</b>	No data available.

## EPO-TEK OJ2933-LH Part A

### Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

### Mobility in soil

**Mobility** The product has poor water-solubility.

### Other adverse effects

**Other adverse effects** Not known.

## 13. Disposal considerations

### Waste treatment methods

**Disposal methods** Dispose of waste product or used containers in accordance with local regulations

## 14. Transport information

### UN Number

**UN No. (DOT)** 3082

**UN No. (IMDG)** 3082

**UN No. (ICAO)** 3082

### UN proper shipping name

**Proper shipping name (DOT)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac)

**Proper shipping name (IMDG)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac)

**Proper shipping name (ICAO)** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Phenol Novolac)

### Transport hazard class(es)

**IMDG Class** 9

**IMDG subsidiary risk**

**ICAO class/division** 9

**ICAO subsidiary risk**

### Transport labels



### Packing group

**DOT pack group** III

**IMDG packing group** III

**ICAO packing group** III

### Environmental hazards

**Environmentally Hazardous Substance**



## EPO-TEK OJ2933-LH Part A

### Special precautions for user

EmS F-A, S-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### 15. Regulatory information

#### US Federal Regulations

##### **SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are required to be listed.

##### **CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)**

None of the ingredients are required to be listed.

##### **SARA Extremely Hazardous Substances EPCRA Reportable Quantities**

None of the ingredients are required to be listed.

##### **SARA 313 Emission Reporting**

None of the ingredients are required to be listed.

##### **CAA Accidental Release Prevention**

None of the ingredients are required to be listed.

##### **OSHA Highly Hazardous Chemicals**

None of the ingredients are required to be listed.

#### US State Regulations

##### **California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are required to be listed.

##### **California Air Toxics "Hot Spots" (A-I)**

None of the ingredients are required to be listed.

##### **California Air Toxics "Hot Spots" (A-II)**

None of the ingredients are required to be listed.

##### **Massachusetts "Right To Know" List**

None of the ingredients are required to be listed.

##### **Rhode Island "Right To Know" List**

None of the ingredients are required to be listed.

##### **Minnesota "Right To Know" List**

None of the ingredients are required to be listed.

##### **New Jersey "Right To Know" List**

None of the ingredients are required to be listed.

##### **Pennsylvania "Right To Know" List**

None of the ingredients are required to be listed.

#### Inventories

##### **EU - EINECS/ELINCS**

Some of the ingredients are listed or exempt.

## EPO-TEK OJ2933-LH Part A

### Canada - DSL/NDSL

All the ingredients are listed or exempt.

### US - TSCA

All the ingredients are listed or exempt.

### US - TSCA 12(b) Export Notification

None of the ingredients are listed.

### Australia - AICS

All the ingredients are listed or exempt.

### Japan - MITI

Some of the ingredients are listed or exempt.

### Korea - KECI

All the ingredients are listed or exempt.

### China - IECSC

All the ingredients are listed or exempt.

### Philippines - PICCS

All the ingredients are listed or exempt.

## 16. Other information

<b>Revision date</b>	6/11/2015
<b>Revision</b>	1
<b>Hazard statements in full</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H411 Toxic to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



## SAFETY DATA SHEET EPO-TEK OJ2933-LH Part B

### 1. Identification

#### Product identifier

**Product name** EPO-TEK OJ2933-LH Part B

**Product number** OJ2933-LH/B

#### Recommended use of the chemical and restrictions on use

**Application** Adhesive.

#### Details of the supplier of the safety data sheet

**Supplier** Epoxy Technology, Inc.  
14 Fortune Drive  
Billerica, MA 01821  
USA  
(978) 667-3805  
(978) 663-9782  
www.epotek.com

#### Emergency telephone number

**Emergency telephone** (800) 255-3924

### 2. Hazard(s) identification

#### Classification of the substance or mixture

**Physical hazards** Not Classified

**Health hazards** Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

**Environmental hazards** Aquatic Chronic 3 - H412

#### Label elements

##### Pictogram



**Signal word** Danger

**Hazard statements** H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H412 Harmful to aquatic life with long lasting effects.



## EPO-TEK OJ2933-LH Part B

### Precautionary statements

P261 Avoid breathing vapor/spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310 If swallowed: Immediately call a poison center/doctor.  
 P302+P352 If on skin: Wash with plenty of water.  
 P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a poison center/doctor if you feel unwell.  
 P321 Specific treatment (see medical advice on this label).  
 P330 Rinse mouth.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with national regulations.

### 3. Composition/information on ingredients

#### Mixtures

<b>Substituted Imidazole</b>	<b>60-100%</b>
CAS number: Proprietary	

#### Classification

Skin Irrit. 2 - H315  
 Eye Dam. 1 - H318  
 Acute Tox. 4 - H302  
 STOT SE 3 - H335  
 STOT SE 3 - H335

<b>Amine adduct with epoxy resin</b>	<b>10-30%</b>
CAS number: Proprietary	

#### Classification

Skin Irrit. 2 - H315  
 Eye Irrit. 2 - H319  
 Skin Sens. 1 - H317  
 STOT SE 3 - H335  
 STOT SE 3 - H335  
 Aquatic Chronic 2 - H411

## EPO-TEK OJ2933-LH Part B

<b>Amine Curing Agent</b>	<b>1-5%</b>
CAS number: Proprietary	
<b>Classification</b>	
Skin Corr. 1B - H314	
Skin Sens. 1 - H317	
Acute Tox. 4 - H302	
Acute Tox. 4 - H312	
Eye Dam. 1 - H318	

The Full Text for all Hazard Statements are Displayed in Section 16.

### 4. First-aid measures

#### Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin Contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Irritation of nose, throat and airway.
<b>Ingestion</b>	May cause stomach pain or vomiting. May cause chemical burns in mouth, esophagus and stomach.
<b>Skin contact</b>	Skin irritation. Allergic rash.
<b>Eye contact</b>	Severe irritation, burning and tearing. Corneal damage.

#### Indication of immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

### 5. Fire-fighting measures

#### Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with the following media: Dry chemicals. Foam. Carbon dioxide (CO <sub>2</sub> ).
-------------------------------------	--

#### Special hazards arising from the substance or mixture

<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen.
--------------------------------------	--

#### Advice for firefighters

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapors.
---	---------------------------------------

<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
--	---

### 6. Accidental release measures

## EPO-TEK OJ2933-LH Part B

### Personal precautions, protective equipment and emergency procedures

**Personal precautions**            Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

**Environmental precautions**    Harmful to aquatic life with long lasting effects. Avoid discharge to the aquatic environment.

### Methods and material for containment and cleaning up

**Methods for cleaning up**        Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

**Reference to other sections**    For personal protection, see Section 8.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions**            Avoid spilling. Avoid contact with skin and eyes. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using the product. Avoid inhalation of vapors. Provide adequate ventilation.

**Advice on general occupational hygiene**    Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash after use and before eating, smoking and using the toilet.

### Conditions for safe storage, including any incompatibilities

**Storage precautions**        Store at moderate temperatures in dry, well ventilated area. Keep away from heat, sparks and open flame. Store away from the following materials: Oxidizing materials. Reducing agents.

**Storage class**                Chemical storage.

### Specific end uses(s)

**Specific end use(s)**            The identified uses for this product are detailed in Section 1.2.

## 8. Exposure Controls/personal protection

### Control parameters

### Occupational exposure limits

#### **Amine Curing Agent**

Long-term exposure limit (8-hour TWA): ACGIH 1 ppm

Short-term exposure limit (15-minute): ACGIH

ACGIH = American Conference of Governmental Industrial Hygienists.

### Exposure controls

#### **Protective equipment**



**Appropriate engineering controls**        Provide adequate general and local exhaust ventilation.

**Eye/face protection**            Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection**                It is recommended that chemical-resistant, impervious gloves are worn.

**Other skin and body protection**        Wear appropriate clothing to prevent any possibility of skin contact.

## EPO-TEK OJ2933-LH Part B

<b>Hygiene measures</b>	Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
<b>Respiratory protection</b>	If ventilation is inadequate, suitable respiratory protection must be worn.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Color</b>	Amber.
<b>Odor</b>	Mild.
<b>Flash point</b>	>93°C
<b>Vapour density</b>	>1
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Other information</b>	None.

### 10. Stability and reactivity

<b>Reactivity</b>	The following materials may react with the product: Strong oxidizing agents. Strong reducing agents.
<b>Stability</b>	Stable at normal ambient temperatures.
<b>Possibility of hazardous reactions</b>	Will not polymerize.
<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time. Avoid contact with the following materials: Oxidizing agents. Reducing agents. Avoid heat, flames and other sources of ignition.
<b>Materials to avoid</b>	Strong oxidizing agents. Strong reducing agents.
<b>Hazardous decomposition products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Oxides of nitrogen.

### 11. Toxicological information

#### Information on toxicological effects

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	Harmful if swallowed. May cause chemical burns in mouth, esophagus and stomach. May cause stomach pain or vomiting.
<b>Skin Contact</b>	May cause sensitisation by skin contact. Irritating to skin.
<b>Eye contact</b>	Causes serious eye damage.

## EPO-TEK OJ2933-LH Part B

### 12. Ecological Information

**Ecotoxicity** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Toxicity**

**Acute toxicity - fish** Not available.

**Persistence and degradability**

**Persistence and degradability** No data available.

**Bioaccumulative potential**

**Bio-Accumulative Potential** No data available on bioaccumulation.

**Mobility in soil**

**Mobility** The product has poor water-solubility.

**Other adverse effects**

**Other adverse effects** Not known.

### 13. Disposal considerations

**Waste treatment methods**

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 14. Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

**Road transport notes** Not classified.

**Rail transport notes** Not classified.

**Sea transport notes** Not classified.

**Air transport notes** Not classified.

**UN Number**

Not applicable.

**UN No. (IMDG)**

**UN No. (ICAO)**

**UN proper shipping name**

Not applicable.

**Transport hazard class(es)**

No transport warning sign required.

**IMDG Class**

**IMDG subsidiary risk**

**ICAO class/division**

**ICAO subsidiary risk**

## EPO-TEK OJ2933-LH Part B

### Transport labels

#### Packing group

Not applicable.

#### DOT pack group

#### IMDG packing group

#### ICAO packing group

#### Environmental hazards

#### Environmentally Hazardous Substance

No.

#### Special precautions for user

Not applicable.

#### EmS

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### 15. Regulatory information

#### US Federal Regulations

##### SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are required to be listed.

##### CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are required to be listed.

##### SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are required to be listed.

##### SARA 313 Emission Reporting

None of the ingredients are required to be listed.

##### CAA Accidental Release Prevention

None of the ingredients are required to be listed.

##### OSHA Highly Hazardous Chemicals

None of the ingredients are required to be listed.

#### US State Regulations

##### California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are required to be listed.

##### California Air Toxics "Hot Spots" (A-I)

None of the ingredients are required to be listed.

##### California Air Toxics "Hot Spots" (A-II)

None of the ingredients are required to be listed.

##### Massachusetts "Right To Know" List

The following ingredients are listed:

## EPO-TEK OJ2933-LH Part B

### Amine Curing Agent

#### Rhode Island "Right To Know" List

The following ingredients are listed:

**Amine Curing Agent**

#### Minnesota "Right To Know" List

The following ingredients are listed:

**Amine Curing Agent**

#### New Jersey "Right To Know" List

The following ingredients are listed:

**Amine Curing Agent**

#### Pennsylvania "Right To Know" List

The following ingredients are listed:

**Amine Curing Agent**

### Inventories

#### EU - EINECS/ELINCS

Some of the ingredients are listed or exempt.

#### Canada - DSL/NDSL

Some of the ingredients are listed or exempt.

#### US - TSCA

All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None of the ingredients are listed.

#### Australia - AICS

Some of the ingredients are listed or exempt.

#### Japan - MITI

Some of the ingredients are listed or exempt.

#### Korea - KECI

Some of the ingredients are listed or exempt.

#### China - IECSC

All the ingredients are listed or exempt.

#### Philippines - PICCS

All the ingredients are listed or exempt.

### 16. Other information

<b>Revision date</b>	6/11/2015
<b>Revision</b>	1

## EPO-TEK OJ2933-LH Part B

### Hazard statements in full

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.